

25X1A

Approved For Release 2002/06/13 : CIA-RDP81B00878R000600010088-4

TO : [REDACTED]
 FROM : **DPD-DD/P**
 DT : **3556**
 DATE : **11 FEB 59**

SECRET

| ROUTING | | | |
|---|----|-----------------------|-------|
| 1 | CC | 4 | HE |
| 2 | CC | 5 | CCFR |
| 3 | CC | 6 | PIRAN |
| WAT RI <i>Admin</i> | | | |
| DEFERRED | | PRIORITY | |
| ROUTINE | | OPERATIONAL IMMEDIATE | |
| X | | | |
| 25X1A | | OUT90445 | |

TO : [REDACTED] 25X1A
 FROM : **DIRECTOR**
 CONF : **DPD (1,2,3,4,5,6,7,8)**
 INFO : **S/C (9)**
VP

TOR: 1941Z 11 FEB 59

25X1A

TO : [REDACTED] 25X1A

INFO

CITE

6307

25X1A L. AUTHORITY GRANTED TO INSTALL SB #362 (DUAL A/C OXYGEN SYSTEM) IN

25X1A [REDACTED] #342 PRELIMINARILY IN IRAN.

25X1A 2. REQUEST FOR DISPATCH OF ONE [REDACTED] OXYGEN SYSTEM TECHNICAL ADVISOR WITH
 TWO OR THREE SB #362 MOD KITS TO [REDACTED] SO AS TO EFFECT INSTALLATION BY 7 MAR 59.

3. IF DELAYS ANTICIPATED DUE TO DIFFICULTY SECURING COMPONENTS FOR #3 KIT,
 DO NOT DELAY INSTALLATION OF #1 AND #2. NO. 3 MAY BE INSTALLED AT LATER DATE.

4. POSSIBLE ALTERNATE INSTALLATION SCHEDULE NOT FIRM AT PRESENT TIME DUE TO
 UNKNOWN OPERATIONAL CONSIDERATIONS MAY ALLOW FOR THE FOLLOWING: KIT #1 BY 7 MAR,
 KIT #2 BY 12 MAR, KIT #3 BY 22 MAR.

5. MOD KITS \$905.00 PLUS TRAVEL TO BE BORNE BY CONTRACT SP 1918. ADVISE
 HQS EXPENDITURES RESULTING THIS MSG. ADDITIONAL ORDER FOR SB #362 KITS TOTALING 13
 FORTHCOMING.

DOCUMENT NO. **69**
 NO CHANGE IN CLASS. **7**
 [] DECLASSIFIED
 CLASS. CHANGED TO: TS S C
 NEXT REVIEW DATE: **2011**
 AUTH: HR 70-2
 DATE: **01/28/11**

END OF MESSAGE

DEP DIR in draft PIRAN in draft
 WAT in draft
 MOD in draft

COORDINATING OFFICERS

25X1A

RELEASING OFFICER

SECRET

Approved For Release 2002/06/13 : CIA-RDP81B00878R000600010088-4

Copy No.